# **Material Safety Data Sheet**

ENFORCER

Zep Commercial Sales & Service A unit of Zep Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-888-805-HELP (4357) www.enforcer.com Section 1. Chemical Product and Company Identification

Product name Wasp & Yellow Jacket Foam V

Product code FWH / F023

Date of issue 11/20/09 Supersedes 10/23/03

This product is a registered pesticide. EPA ID No. 40849-4

**Emergency Telephone Numbers** 

For MSDS Information:

Compliance Services 404-352-1680

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

Prepared By

Compliance Services

1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Hazards Identification

**Emergency overview** 

\*Hazard Determination System (HDS): Health, Flammability, Reactivity

CAUTION
HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN. CONTENTS UNDER PRESSURE.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects Routes of Entry Absorbed through skin. Inhalation.

**Eyes** Contact may cause eye irritation. Inflammation of the eye is characterized by redness, watering

and itching.

**Skin** Causes skin irritation. Harmful if absorbed through the skin. Skin inflammation is characterized

by itching, scaling, or reddening.

**Inhalation** Over-exposure by inhalation may cause respiratory irritation.

**Ingestion** Harmful if swallowed. Can cause gastrointestinal disturbances.

**Chronic effects** There is no known chronic effect after exposure to this product.

Carcinogenicity No known significant effects or critical hazards.

Product/ingredient name

Not available.

Additional Information: See Toxicological Information (Section 11)

# Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients	CAS number	% by Weight
BLEND OF ISOBUTANE & PROPANE	74-98-6; 75-28-5	1 - 10
TETRAMETHRIN	7696-12-0	0.2
SUMITHRIN, d-Phenothrin	26002-80-2	0.2

### Section 4. First Aid Measures

Eye Contact Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove

any contact lenses. Get medical attention immediately.

**Skin Contact** Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse.

Get medical attention if symptoms occur.

**Inhalation** Move exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention

immediately.

### Section 5. Fire Fighting Measures

Flash Point Not determined.
Flammable Limits Not determined.

Flammability Non-flammable. (CSMA Method)

Fire hazard CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and the

container may burst. Bursting aerosol containers may be propelled from a fire at high speed.

National Fire Protection Association (U.S.A.)

**Fire-Fighting** Cool containers with water jet in order to prevent pressure build-up, auto-ignition or explosion.

**Procedures** Do not release runoff from fire to drains or watercourses.

#### Section 6. Accidental Release Measures

**Spill Clean up** Unlikely in this form.

### Section 7. Handling and Storage

**Handling** Put on appropriate personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Do not

breathe vapor or mist. Use only with adequate ventilation. Do not ingest. Wash thoroughly after handling. Observe

label precautions. Apply this product only as specified on the label.

**Storage** CONTENTS UNDER PRESSURE. Store and use away from heat, sparks, open flame or any other ignition source. Do

not puncture or incinerate container. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of

children.

### Section 8. Exposure Controls/Personal Protection

Product name Exposure limits

BLEND OF ISOBUTANE & PROPANE ACGIH TLV (United States).

TWA: 800 ppm 8 hour(s).

OSHA PEL (United States).

TWA: 1000 ppm 8 hour(s).

ACGIH TLV (United States).

TETRAMETHRIN

ACGIH TLV (United States).

TWA: 10 mg/m³ 8 hour(s). Form: Dust

### **Personal Protective Equipment (PPE)**

**Eyes** Safety glasses.

**Body** Protective gloves should be worn during handling. Recommended:

Rubber gloves. Nitrile gloves. Neoprene gloves.

**Respiratory** A respirator is not needed under normal and intended conditions of product use.

### Section 9. Physical and Chemical Properties

Physical State Liquid. [Aerosol.] Color Clear.

pHNot applicableOdor Mild. Characteristic.Boiling Point $102^{\circ}$ C (215.6°F)Vapor Pressure Not determined.Specific Gravity0.975Vapor Density >1 [Air = 1]

**Soluble** Soluble in the following materials: cold water and **Evaporation Rate** 1 (Water = 1)

hot water.

VOC (Consumer) 9.91%

# Section 10. Stability and Reactivity

**Stability and Reactivity** The product is stable.

**Incompatibility** Slightly reactive or incompatible with the following materials: acids and alkalis.

**Hazardous Polymerization** Will not occur.

**Hazardous Decomposition Products** carbon oxides (CO, CO<sub>2</sub>)

### Section 11. Toxicological Information

### **Acute Toxicity**

# Section 12. Ecological Information

\_\_\_\_\_

**Environmental Effects** This material is toxic to aquatic organisms. Keep out of waterways.

**Aquatic Ecotoxicity** 

**Product/ingredient name** 

Not available.

Page: 2/3

# Section 13. Disposal Considerations

### **Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-regulated waste

# Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	None.	Consumer commodity	ORM-D	-	
TDG Classification	None.	Consumer commodity	ORM-D	-	

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\* : Packing group

# Section 15. Regulatory Information

### **U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

### **Product name**

Sumithrin

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

United States inventory (TSCA 8b): Not determined.

### **State Regulations**

California Prop 65 No products were found.

# <u>Canada</u>

WHMIS (Canada) WHMIS Class A: Compressed gas.

WHMIS Class D-2B: Material causing other toxic effects (Toxic).

### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.